

RECEIVED
CENTRAL FAX CENTER

0003

MAR 17 2004

OFFICIAL

Appl. No. : 10/039,403
Confirmation No. : 2033
Applicant : Charles Tillman Keller, et al.

Filed : November 7, 2001
Title : CATHODIC PROTECTION
SYSTEM FOR AIR
COMPRESSOR TANKS

TC/A.U. : 1746
Examiner : Bruce F Bell

Docket No. : 086402-9018-00

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I, Mary A. Azzolina, hereby certify that this correspondence is
being facsimile transmitted to the United States Patent and
Trademark Office at (703) 872-9310, on the date of my signature.

Signature

Date of Signature

AMENDMENT

Sir:

In response to the Office action of December 18, 2003, please amend the above-identified
application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this
paper.

Remarks/Arguments begin on page 9 of this paper.

1746
RECEIVED
GENERAL FAX CENTER

MAR 17 2004

OFFICIAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Group Art Unit 1746

In re
Patent Application of
Charles Tillman Keller, et al.
Application No. 10/039,403
Confirmation No.: 2033
Filed: November 7, 2001
Examiner: Bruce F Bell
"CATHODIC PROTECTION SYSTEM FOR
AIR COMPRESSOR TANKS"

I, Mary A. Azzolina, hereby certify that this correspondence
is being facsimile transmitted to the United States Patent and
Trademark Office at (703) 872-9310, on the date of my
signature.

Mary A. Azzolina
Signature

3/17/2004
Date of Signature

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an Amendment in the above-identified application. A total of eleven (11) pages are being transmitted via facsimile.

The fee has been calculated as shown below.

CLAIMS AS AMENDED							
(1)	(2) CLAIMS REMAINING AFTER AMENDMENT	(3)	(4) HIGHEST NO. PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	(6) RATE	(7) ADDITIONAL FEE	
TOTAL CLAIMS	48	MINUS	50	0	X \$18	0.00	
INDEP. CLAIMS	4	MINUS	3	1	X \$86	86.00	
				TOTAL ADDITIONAL FEE FOR THIS AMENDMENT ---□		86.00	

In the event Applicant has overlooked the need to request an extension of time, please consider this a request for the same.

Charge or credit Deposit Account No. 13-3080 with any shortage or overpayment of the fees associated with this communication. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

Glenn M. Massina
Reg. No. 40,081

File No. 086402-9018-00
Michael Best & Friedrich LLP
3773 Corporate Parkway Suite 360
Center Valley, Pennsylvania 18034
610-798-2170

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Group Art Unit 1746

In re
Patent Application of
Charles Tillman Keller, et al.
Application No. 10/039,403
Confirmation No.: 2033
Filed: November 7, 2001
Examiner: Bruce F Bell
"CATHODIC PROTECTION SYSTEM FOR
AIR COMPRESSOR TANKS"

I, Mary A. Azzolina, hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office at (703) 872-9310, on the date of my signature.

Mary A. Azzolina
Signature

3/17/2004
Date of Signature

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an Amendment in the above-identified application. A total of eleven (11) pages are being transmitted via facsimile.

The fee has been calculated as shown below.

CLAIMS AS AMENDED							
(1)	(2) CLAIMS REMAINING AFTER AMENDMENT	(3)	(4) HIGHEST NO. PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	(6) RATE	(7) ADDITIONAL FEE	
TOTAL CLAIMS	48	MINUS	50	0	X \$18	0.00	
INDEP. CLAIMS	4	MINUS	3	1	X \$86	86.00	
				TOTAL ADDITIONAL FEE FOR THIS AMENDMENT <input type="checkbox"/>		86.00	

In the event Applicant has overlooked the need to request an extension of time, please consider this a request for the same.

Charge or credit Deposit Account No. 13-3080 with any shortage or overpayment of the fees associated with this communication. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

Glenn M. Massina
Glenn M. Massina
Reg. No. 40,081

File No. 086402-9018-00
Michael Best & Friedrich LLP
3773 Corporate Parkway Suite 360
Center Valley, Pennsylvania 18034
610-798-2170